

GENERELLE INDIKASJONER:

- Før behandlingen påbegynnes: gjennomfør en korrekt anamnese av pasientens hud, og utelukk skadet, oppskrapet eller betent hud, samt hud med patologier.
 - Ved seboreisk dermatitt: utelukk de ømfintlige områdene rundt nesen.
 - Ved seboreisk dermatitt: utelukk de ømfintlige områdene rundt nesen.
 - Ved hypersensitiv eller svært ømfintlig hud, eller hud med patologier: utelukk områdene rundt øynene og leppene.
 - Utfør behandlingen iført nitrilhansker.
 - Dersom pasienten lider av seboreisk dermatitt: reduser om nødvendig antall behandlinger og/eller utfør en mer skånsom massasje.
 - Forsikre deg om at pasienten har avsluttet topikal behandling med isotretinoin eller lignende virkestoff som kan forstyrre den ordinære behandlingsprotokollen.
 - Følg hele protokollen som er anvist av produsenten, for å oppnå ønsket resultat.
- Ta hensyn til følgende produktmengder per område:

- 1–1,5 ml for hele ansiktet
- 1 ml for hals
- 1,5–2 ml for dekolletasje
- 1 ml for håndrygger
- For større kroppsområder justeres mengden tilsvarende, ut fra områdets størrelse og antall trinn.

APPLIKASJONSMETODE — GJELDER ALLE FORMULERINGER

Følgende metode regnes som et peelingsystem og består derfor av 3 faser:

- Forberedelse av peeling hjemme
- Peeling i klinikk
- Etterbehandling (post-peel)

Det anbefales, når det er aktuelt, at pasienten starter peelingsystemet 2 uker før behandlingen ved å påføre H8 Night Skin Serum hver kveld og GF20 Exosome Boost hver morgen og kveld.

Det må gå minst 30 minutter mellom påføring av H8 og GF20 Exosome Boost om kvelden, slik at vevet rekker å bli surt og bedre kan absorbere GF20 Exosome Boost.

Denne første fasen av behandlingen er forberedende og lar behandleren arbeide på et vev som responderer bedre på syrestimuliere, slik at hypersensitivitet og kraftige utslett unngås.

Dersom pasienten har hypersensitiv eller betent hud, eller ved akne, skal forberedelsen gjøres med kun GF20 Exosome Boost i 15 dager, uten bruk av H8.

APPLIKASJONSPROSEDYRE**TRINN 1**

Rens huden med et mildt rensemiddel for å fjerne urenheter og sminke, samtidig som hudens fysiologiske balanse ivaretas.

TRINN 2

Forbered huden med Pre Peeling PH Prep-løsningen ved å utføre 3 forstøvninger, én for hvert område som skal behandles, og fjern med fuktige servietter.

TRINN 3

Trekk opp peelingløsningen som er valgt ut fra problemstillingen som skal behandles, ved å perforere flasken med en 16G-kanyle (løsningene er viskøse/tykflytende), og overfør den til en sprøyte uten kanyle. Fordel jevnt over hvert behandlingsområde med massasje med middels trykk, iført nitrilhansker.

Det er viktig å påføre ett lag om gangen i små mikrodoser, og massere område for område. Området rundt øynene og leppene samt nesevingene kan behandles, med unntak av tilfellene nevnt ovenfor.

Sørg for at løsningen er massert helt inn før du går videre til neste lag.

HUDLYSNENDE EFFEKT — SKIN REGEN MD RADIANCE, pH 2,0 ± 0,5

Behandlingen kan forsterkes ved å tilsette Cell Renew i samme mengde som den valgte mengden peeling, fra og med andre lag, dvs.:

1. Ta 1 ml peeling og påfør første lag ved å fordele 0,4 ml i mikrodoser over hele ansiktet med lett massasje.
2. Til andre lag: tilsett 0,6 ml Cell Renew i sprøyten, som blandes med de gjenværende 0,6 ml av den valgte peelingen.
3. Gjenta trinnene ved behov, og masser løsningen til den er fullstendig absorbert.

INGREDIENSER: Sitronsyre 20 %, glykolsyre, azelainsyre, traneksamsyre.

PAKNING: 8 hetteglass à 5 ml (0,2 fl oz) + 2 hetteglass à 5 ml Skin Regen MD Cell Renew.

ALDERSFORSINKENDE KOMPLEKS-PEELING — SKIN REGEN MD JUVENA, pH 2,5 ± 0,5

1. Ta 1 ml Juvena-løsning og påfør første lag ved å fordele 0,4 ml i mikrodoser over hele ansiktet med lett massasje.
2. Til andre lag: tilsett 0,6 ml Cell Renew i sprøyten og bland med de gjenværende 0,6 ml av Juvena-løsningen.
3. Påfør siste lag med Juvena og masser løsningen til den er fullstendig absorbert.
4. Gjenta trinnene ved behov.

INGREDIENSER: Triklorediksyre 30 %, mandelsyre, fytinsyre, hyaluronsyre/polyisopropylakrylamid, sitronsyre.

PAKNING: 8 hetteglass à 5 ml (0,2 fl oz) + 2 hetteglass à 5 ml Skin Regen MD Cell Renew.

FOR PROBLEMHUD — SKIN REGEN MD RESTRUCTA, pH 3,0 ± 0,5

Behandlingen kan forsterkes ved å tilsette Cell Renew i samme mengde som den valgte mengden peeling, fra og med andre lag.

1. Ta 1 ml Restructa og påfør første lag ved å fordele 0,4 ml i mikrodoser over hele ansiktet med lett massasje.
2. Til andre lag: tilsett 0,6 ml Cell Renew i sprøyten og bland med de gjenværende 0,6 ml Restructa.
3. Gjenta trinnene ved behov, og masser løsningen til den er fullstendig absorbert.

INGREDIENSER: Melkesyre, mandelsyre, shikimisyre, pyrodruesyre.

PAKNING: 8 hetteglass à 5 ml (0,2 fl oz) + 2 hetteglass à 5 ml Skin Regen MD Cell Renew.

FOR INTIME OG SENSITIVE OMRÅDER — SKIN REGEN MD INTIMA, pH 2,0 ± 0,5

1. Ta 1 ml Intima-peeling og påfør første lag ved å fordele 0,4 ml i mikrodoser over alle de sensitive områdene med lett massasje.
2. Gjenta lagene inntil pasienten opplever følsomheten som utålelig.

Beslutningen om å forsterke en av disse peelingsene med Cell Renew ligger hos behandlerens faglige skjønn, og er ment å gi behandlingen større dybde, avhengig av pasientens smertetoleranse.

INGREDIENSER: Mandelsyre, traneksamsyre, triklorediksyre, fytinsyre, sitronsyre.

PAKNING: 10 hetteglass à 5 ml (0,2 fl oz).

FOR DYP PEELING — SKIN REGEN MD CELL RENEW, pH 1,5 ± 0,5

1. Ta 1 ml Cell Renew-peeling og påfør første lag ved å fordele 0,4 ml i mikrodoser over alle behandlingsområdene med lett massasje.
2. Gjenta lagene inntil pasienten opplever følsomheten som utålelig.

INGREDIENSER: Triklorediksyre 35 %, glykolsyre, aminosmørsyre, sitronsyre.

PAKNING: 10 hetteglass à 5 ml (0,2 fl oz).

TRINN 4

Når peelingbehandlingen er avsluttet: påfør Neutralizer ved å forstøve jevnt over ansiktet, og beskytt området rundt øynene. Klapp inn med bomullspads og tørk deretter av med en ren, fuktig klut.

TRINN 5

Det anbefales å fortsette å bruke GF20 Exosomes Boost hjemme, fra 48 timer etter peelingbehandlingen i klinikk, i minst de første 15 dagene — hver morgen og hver kveld, 30 minutter etter påføring av H8 — for å forsterke regenerasjonsprosessen og øke den tilhelende effekten. Anbefalt protokoll er 6 behandlinger som utføres hver 7.–10. dag, etterfulgt av ytterligere 2 behandlinger hver 3. måned for å vedlikeholde resultatene. Antall behandlinger varierer imidlertid ut fra behandlerens vurdering og omfanget av problemet som skal behandles.

ANBEFALTE PROTOKOLLER**ANSIKT OG HALS — BIORESTRUKTURERING**

Fotoaldring, atrofi, moderate rynker. Syklus på 1–6 behandlinger; de første 4 utføres hver 7.–10. dag, de øvrige 2 hver 15. dag.

DEKOLLETASJE — BIORESTRUKTURERING

Alvorlig fotoaldring, elastose, moderat kronoaldring. Syklus på 6 behandlinger; de første 4 hver 7.–10. dag, de øvrige 2 hver 15. dag.

HENDER — BIOREVITALISERING

Brune flekker, diffus ruhet, slapp hud. Syklus på 6 behandlinger; de første 4 hver 7.–10. dag, de øvrige 2 hver 15. dag.

BIOREGENERERING

Røde strekkmerker (striae rubrae) blandet med første perlemorsaktige formasjoner. Syklus på 8 behandlinger hver 7.–10. dag.

OPPSTRAMMING OG PIGMENTFORANDRINGER PÅ KROPPEN

Innsiden av armene, lår og mage. Syklus på 6 behandlinger, hver 7.–10. dag.

INTIMFORYNGELSE, KNÆR, ALBUER, SETE, ARMHULER

Oppstrammende og lysnende. Syklus på 4–6 behandlinger, hver 7.–10. dag.

H8 — NIGHT SKIN SERUM, pH 3,8

H8 bidrar til å fjerne pigmentering og forbedre hudtonen. Det virker som en mild, ikke-irriterende eksfoliant på hudens overflate, etter eller før en kjemisk peeling. H8 Night Skin Serum er trygt å bruke for alle hudtyper, også sensitiv hud.

PÅFØRING: Påfør en passende mengde serum til å dekke hele behandlingsområdet, fordel jevnt og masser inn i huden. Klapp lett for å avslutte påføringen.

PRE PEELING — PH PREP SOLUTION, pH 2

PH Prep Solution bidrar til å senke hudens pH-nivå til optimalt nivå for en dypere penetrasjonseffekt. Den fjerner eventuelle rester av sminke eller urenheter og

virker avfettende.

PÅFØRING: Påfør en passende mengde av løsningen på en bomullspad og fordel jevnt på huden. Klapp lett for å avslutte påføringen.

NEUTRALIZER — PH TONER BALANCER, pH 9

Neutralizer PH Toner Balancer gjenoppretter hudens pH-balanse, som påvirkes av faktorer som forstyrrer hudens normale pH, slik som kjemisk peeling, behandlet vann, alkalisk såpe og sminke. Den glatter, hydrerer og gir huden fuktighet. Egnet for alle hudtyper.

PÅFØRING: Påfør en passende mengde PH Toner Balancer ved å spraye den over hele behandlingsområdet, og fordel jevnt på huden. Klapp lett for å avslutte påføringen.

GF20 EXOSOME BOOST — SKIN SERUM

GF20 Exosome Boost er et hydrerende og fuktighetsgivende serum med en perfekt blanding av eksosomer og 20 vekstfaktorer, som holder huden hydrert og beskyttet mot miljøskader.

PÅFØRING: Påfør en passende mengde serum til å dekke hele behandlingsområdet, fordel jevnt og masser inn i huden. Klapp lett for å avslutte påføringen.

ADVARSLER

Seponer foreskrevne topikale legemidler og alle typer retinoider før behandlingen. Advarsel om solbrenthet: Produktene inneholder trikloreddiksyre, som kan øke hudens følsomhet for sol og særlig risikoen for solbrenthet. Bruk solkrem, bruk beskyttende klær og begrens soleksponeringen mens produktet brukes, og i én uke etterpå.

UNNGÅ

- AHA, BHA og retinol i 2 uker
- Solarium, svømming, badstue og selvbruning i 2 uker
- Voksing, hårfjerning og bleking i 2 uker

KONTRAINDIKASJONER

- Graviditet, amming
- Accutane | isotretinoin: pågående bruk eller bruk i løpet av de siste 6 månedene
- Injeksjoner i ansiktet, tråder og Botox | Dysport i løpet av de siste 2 ukene
- Langvarig soleksponering i løpet av de siste 2 ukene

PRODUSENT

PRODUSERT AV DERMOAROMA ITALY SRL

Via dei Pirenei 1, CAP 00144, Roma, Italia
Produsert i Italia (Made in Italy)

Dermoaroma bruker kun trygge ingredienser, og de formulerte produktene er rene, uten grunn til bekymring, ikke testet på dyr (cruelty-free), uten parabener, uten konserveringsmidler og uten aggressive ingredienser eller kunstige fargestoffer.

- KUN TIL PROFESJONELL BRUK
- BESKYTTES MOT SOLLYS
- OPPBEVARES MELLOM 10 °C OG 25 °C (50 °F til 77 °F)
- TØM EMBALLASJEN FOR INNHOLD FØR GJENVINNING
- FJERN EVENTUELLE KOMPONENTER OG SKYLL MED VANN

NR	SYMBOL — MEDISINSK UTSTYR	BESKRIVELSE
1		Produsent
2		Brukes innen (utløpsdato)
3		Forsiktig
4		Lotnummer (batchkode)
5		CE-merking, identifikasjonsnummer for teknisk kontrollorgan 0425
6		Advarsel — se bruksanvisningen
7		Produktets referanse-/katalognummer
8		Skal ikke brukes hvis enkeltpakningen er åpnet eller skadet
9		Oppbevares tørt
10		Beskyttes mot sollys

NR	SYMBOL — KOSMETIKK	BESKRIVELSE
1		Lotnummer (batchkode)
2		Brukes innen (utløpsdato)
3		Se bruksanvisningen
4		Beskyttes mot sollys
5		Ikke testet på dyr

GJENVINNINGSSYMBOLER FOR EMBALLASJE


Norsk oversettelse av produsentens originale bruksanvisning (engelsk versjon, gjengitt bak i dokumentet). Symboler og illustrasjoner er gjengitt uendret fra originalen. Distribuert i Norge av Best Connection AS, Stålfjæra 1, 0975 Oslo — kundeservice@bestconnection.no — +47 465 12 000.

GENERAL INDICATIONS:

- Before proceeding with the treatment, carry out a correct anamnesis of the patient's skin, exclude injured, abraded, inflamed skin or skin with pathologies.
- In case of seborrheic dermatitis exclude the delicate areas around the nose.
- In case of seborrheic dermatitis exclude the delicate areas around the nose.
- Exclude the area around the eyes or around the lips in case of hypersensitive or extremely delicate skin, or skin with pathologies.
- Conduct the treatment wearing nitrile gloves.
- In case patient is suffering from seborrheic dermatitis, reduce the number of sessions, if necessary, and/or perform a more delicate massage.
- Make sure that the patient has stopped topical therapies with isotretinoin or any similar active ingredient that could compromise the regular work protocol.
- Perform the complete protocol showed by the company to obtain the desired results.

Consider the following product quantities per area:

- 1 to 1.5 ml for full face
- 1 ml for neck
- From 1.5 to 2 ml for décolleté
- 1 ml back of hands
- For the larger areas of the body adjust accordingly, considering the width and number of steps.

APPLICATION METHOD VALID FOR EACH FORMULATION

The following method is considered a peeling system and therefore consists of 3 stages:

- Peel preparation at home
- In-office peel
- Post-peel care

It is recommended and, when applicable, that the patient will start the peeling system 2 weeks before treatment, by applying H8 Night Skin Serum every evening and GF20 Exosome Boost every morning and evening.

At least 30 minutes must elapse between the application of the H8 and the GF20 Exosome Boost in the evening to allow the tissue to become acidic and be able to better absorb the GF20 Exosome Boost.

This first phase of the treatment is preparatory and allows the doctor to work on a tissue that will respond better to the stimulus of acids, avoiding hypersensitivity or significant rashes.

In the event that the patient presents hypersensitive, inflamed skin or in the presence of acne, it will be necessary to carry out the preparation with only the GF20 Exosome Boost for 15 days without the use of H8.

APPLICATION PROCEDURE**STEP 1**

Cleanse the skin with a delicate cleanser to remove impurities and make-up while respecting the physiological balance of the skin.

STEP 2

Prepare the skin with the Prepeeling PH Prep solution by performing 3 nebulization, one for each area to be treated and remove it with damp wipes.

STEP 3

Take the Peeling System solution chosen on the basis of the problem to be treated by piercing the bottle with a 16G needle (the solutions are viscous/dense) and arrange in a syringe without a needle to be distributed evenly over each area to be treated with a medium pressure massage while wearing nitrile gloves.

It is important to apply one layer at a time with small micro doses, massaging area by area. It is possible to treat the area around the eyes and lips or wings of the nose, except for the cases indicated above.

Make sure you have massaged the solution until absorbed completely and then move on to the next layer.

SKIN BRIGHTENING EFFECT — SKIN REGEN MD RADIANCE, pH 2.0 ± 0.5

It is possible to enhance the treatment by adding Cell Renew in equal measure to the chosen amount of peeling starting from the second layer, ie:

1. Take 1 ml of peeling and apply the first layer by distributing 0.4 ml in micro doses all over the face, massaging gently.
2. For the second layer add 0.6 ml of Cell Renew in the syringe which are added to the remaining 0.6 ml of the chosen peeling.
3. Repeat steps, if necessary, massaging the solution until absorbed completely.

INGREDIENTS: Citric acid 20%, glycolic acid, azelaic acid, tranexamic acid.

PACKAGING: 8 – 0.2 fl oz (5 ml) vials + 2 – 0.2 fl oz (5 ml) Skin Regen MD Cell Renew vials.

FOR AGE DELAY COMPLEX PEELING — SKIN REGEN MD JUVENA, pH 2.5 ± 0.5

1. Take 1 ml of Juvena solution and apply the first layer by distributing 0.4 ml in micro doses all over the face, massaging gently.

2. For the second layer add 0.6 ml of Cell Renew in the syringe to be mixed with the remaining 0.6 ml of the Juvena solution.

3. Apply the last layer with Juvena and massage the solution until absorbed completely.

4. Repeat steps if necessary.

INGREDIENTS: Trichloroacetic acid 30%, mandelic acid, phytic acid, hyaluronic acid/polyisopropylacrylamide, citric acid.

PACKAGING: 8 – 0.2 fl oz (5 ml) vials + 2 – 0.2 fl oz (5 ml) Skin Regen MD Cell Renew vials.

FOR PROBLEMATIC SKIN — SKIN REGEN MD RESTRUCTA, pH 3.0 ± 0.5

It is possible to enhance the treatment by adding Cell Renew in equal measure to the chosen amount of peeling starting from the second layer.

1. Take 1 ml of Restructa and apply the first layer by distributing 0.4 ml in micro doses all over the face, massaging gently.
2. For the second layer, add 0.6 ml of Cell Renew in the syringe to be mixed with the remaining 0.6 ml of Restructa.
3. Repeat steps if necessary, massaging the solution until absorbed completely.

INGREDIENTS: Lactic acid, mandelic acid, shikimic acid, pyruvic acid.

PACKAGING: 8 – 0.2 fl oz (5 ml) vials + 2 – 0.2 fl oz (5 ml) Skin Regen MD Cell Renew vials.

FOR INTIMATE AND SENSITIVE AREAS — SKIN REGEN MD INTIMA, pH 2.0 ± 0.5

1. Take 1 ml of Intima peeling and apply the first layer by distributing 0.4 ml in micro doses all over the sensitive areas, massaging gently.

2. Repeat layers until patient sensitivity will become intolerable.

The decision to enhance one of these peels with Cell Renew is at the doctor's professional discretion and is intended to give greater depth to the treatment depending on the patient's level of pain tolerance.

INGREDIENTS: Mandelic acid, tranexamic acid, trichloroacetic acid, phytic acid, citric acid.

PACKAGING: 10 – 0.2 fl oz (5 ml) vials.

FOR A DEEP PEELING — SKIN REGEN MD CELL RENEW, pH 1.5 ± 0.5

1. Take 1 ml of Cell Renew peeling and apply the first layer by distributing 0.4 ml in micro doses all over the treated areas, massaging gently.

2. Repeat layers until patient sensitivity will become intolerable.

INGREDIENTS: Trichloroacetic acid 35%, glycolic acid, aminobutyric acid, citric acid.

PACKAGING: 10 – 0.2 fl oz (5 ml) vials.

STEP 4

After having finished the peeling treatment, apply the Neutralizer by nebulizing on the face evenly, protecting the area of the eyes. Pad with cotton pads and then dab with a fresh damp cloth.

STEP 5

It is recommended to continue using GF20 Exosomes Boost at home, 48 hours after in-office peeling treatment session, minimum for the first 15 days every morning and every evening in 30 minutes after applying H8 to amplify regenerative process and enhance healing effects. Recommended protocol suggests 6 sessions to be carried out every 7/10 days to be followed by another 2 sessions every 3 months for maintaining the results. However, the number of sessions varies according to the doctor's assessment and the extent of the problem to be treated.

RECOMMENDED PROTOCOLS**FACE AND NECK BIORESTRUCTURING**

Photoaging, atrophy, medium wrinkles. Cycle of 1 to 6 sessions, the first 4 to be held every 7/10 days, the other 2 every 15 days.

DECOLLETE BIORESTRUCTURING

Severe photoaging, elastosis, medium chronoaging. Cycle of 6 sessions, the first 4 to be held every 7/10 days, the other 2 every 15 days.

HANDS BIOREVITALIZATION

Brown spots, diffuse roughness, flaccidity. Cycle of 6 sessions, the first 4 to be carried out every 7/10 days, the other 2 every 15 days.

BIOREGENERATION

Rubre striae mixed with first pearlish formations. Cycle of 8 sessions carried out every 7/10 days.

LIFTING AND DISCOLORATION AREAS OF THE BODY

Inner arms, thighs and abdomen. Cycle of 6 sessions, every 7/10 days.

INTIMATE REJUVENATION, KNEES, ELBOWS, BUTTOCKS, ARMPIT AREAS

Firming and lightening. Cycle of 4 to 6 sessions, every 7/10 days.

H8 — NIGHT SKIN SERUM, pH 3.8

H8 helps to remove pigmentation and improve skin complexion. It acts as nonirritant, mild exfoliator that works on the surface of the skin after or before a

chemical peeling. H8 Night Skin Serum is safe to use for all skin types, including sensitive skin.

APPLICATION: Apply an appropriate amount of serum to cover the entire treatment area, spread evenly and massage into the skin. Gently pat to finish application.

PRE PEELING — PH PREP SOLUTION, pH 2

PH Prep Solution helps to bring the skin's pH level down to the optimal level for a deeper penetration effect. It eliminates any remaining make up or impurities and acts as a degreaser.

APPLICATION: Apply appropriate amount of the solution on the cotton pad and spread evenly on the skin, gently pat to finish application.

NEUTRALIZER — PH TONER BALANCER, pH 9

Neutralizer PH Toner Balancer restores pH balance of the skin, affected by the factors that disrupt normal skin's pH, such as chemical peel, treated water, alkaline soap and make up. It smoothes, hydrates and moisturises the skin. Suitable for all skin types.

APPLICATION: Apply an appropriate amount of PH Toner Balancer by spraying it to the entire treatment area, spread evenly on the skin. Gently pat to finish application.

GF20 EXOSOME BOOST — SKIN SERUM

GF20 Exosome Boost is a hydrating and moisturising serum with a perfect blend of exosomes and 20 growth factors, keeping it hydrated and protected from environmental damage.

APPLICATION: Apply an appropriate amount of serum to cover the entire area of treatment, spread evenly and massage into skin. Gently pat to finish application.

WARNINGS

Before the treatment discontinue prescribed topical medication and any kind of retinoids. Sunburn alert: the products contain trichloroacetic acid that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing, and limit sun exposure while using this product and for a week afterwards.

AVOIDS

- AHAs, BHAs, retinol for 2 weeks
- Sunbeds, swimming, sauna, and self-tan for 2 weeks
- Waxing, hair removal, bleaching for 2 weeks

CONTRAINDICATIONS

- Pregnancy, breastfeeding
- Accutane | isotretinoin: current use or use within the last 6 months
- Facial injections, threads, and Botox | Dysport within 2 weeks
- Prolonged sun exposure for the last 2 weeks

MANUFACTURER

MANUFACTURED BY DERMOAROMA ITALY SRL
Via dei Pirenei 1, CAP 00144, Roma, Italia
Made in Italy

Dermoaroma only uses safe ingredients and formulated products are clean, worry-free, cruelty-free, paraben-free, preservative-free and free from harsh ingredients or artificial colors.

- PROFESSIONAL USE ONLY
- KEEP AWAY FROM SUNLIGHT
- STORE BETWEEN 10 °C TO 25 °C, 50 °F TO 77 °F
- BEFORE RECYCLING EMPTY THE CONTENTS OF THE CONTAINER
- REMOVE COMPONENTS, IF ANY, AND RINSE WITH WATER

NO	MEDICAL DEVICE SYMBOL	DESCRIPTION
1		Manufacturer
2		Use by
3		Caution
4		Batch code
5		CE marking, identification number of the Notified Body 0425
6		Warning, consult instructions for use
7		Identification code for the product
8		Don't use if unit package is opened or damaged
9		Keep dry
10		Keep away from sun light

NO	COSMETIC SYMBOL	DESCRIPTION
1		Batch code
2		Use by
3		Consult instructions for use
4		Keep away from sun light
5		No animal testing

PACKAGING RECYCLING SYMBOL
